## technical datasheet





## 5 in 1 (hd-cvi, hd-tvi, ahd, analog and ip) recorder of 16 channel and 1 mpx maximum resolution

## HWD-5116MH-G4

RECORDING		NETWORK FEATURES	
Maximum recording resolution	1 Mpx	Number of ports RJ45	1
Video compression	H.265 / H.264	Speed RJ45	10 / 100 Mbps
Resolution HDCVI recording	1 Megapixel (720P)	Maximum number of users	128
Resolution HDTVI recording	1 Megapixel (720p)	Mobile devices	Android / IOS (Apple) Browser / Smartphone App
Resolution recording AHD	1 Megapixel (720p)	Remote vision	and Hik-Connect Software.
Images per second Main stream	720P / WD1 / 4CIF / VGA / CIF (15fps)	Software App	IVMS Hik-Connect
Images per second Extra stream	CIF / QVGA (1 ~ 15fps)	VIDEO OUTPUT	Tik-connect
Video bit rate	32 Kbps ~ 4 Mbps	HDMI Output Number	1
Audio compression	G.711U	Number of VGA outputs	
Speed audio bits	64Kbps per channel	Resolution HDMI	 1080P
VIDEO		VGA resolution	1080P
BNC channels	16	Similar video signals	HDMI and VGA
IP Channels	18, replacing the BNC channels	MATERIAL AND DIMENSION	DNS
Accepted IP cameras	16 BNC cameras + 2 IP cameras	Dimensions	260 x 222 x 45 mm
Video formats	HDCVI/TVI/AHD/CVBS/	Material	Metal
Admitted resolutions	IP	Net weight	1100 g
HDCVI	1080P / 720P	Weight with packaging	1430 g
Admitted resolutions HDTVI	1080P / 720P	AMBIENT	
Admitted resolutions AHD	1080P / 720P	Operating temperature	-10 °C ~ 55 °C
Cameras CVBS	Yes	Use	Indoor
Resolution IP cameras	5 Megapíxeles	Maximum humidity	90%
POWER CONSUMPTION		AUDIO	
Power mode	DC	Audio Inputs	1
Voltage	12V	Audio Outputs	1
Consumption (w)	10W	INTELLIGENT VIDEO SYST	EM
Amperage	1600mA	Classification Human / vehicle	Yes
GENERAL INFORMATION		Motion detection	Yes, 2.0 on all analogue
Serie	HiWatch		criarmers
Amperage  GENERAL INFORMATION  Serie	1600mA	Classification Human / vehicle	Y

IP)

## technical datasheet

Compatibility	Hikvision HA series cameras	
STORAGE		
Number of supported hard drives		
Maximum hard disk size	(Unit) <b>10 TB</b>	
Type HDD	3,5 SATA"	
REPRODUCTION AND C	OPY OF SECURITY	
Smart search	Yes	
Synchronized playback	16	
INPUTS/OUTPUTS		
USB 2 0	2	

